

NAME:

MR#:

Arrival Date & Time: \_\_\_\_\_

**Initial vitals:** \_\_\_\_\_ (time)

B/P \_\_\_\_\_ P \_\_\_\_\_ R \_\_\_\_\_ SaO2 \_\_\_\_\_

Temp \_\_\_\_\_ CP Scale \_\_\_\_\_ (1-10)

**Cardiac Monitor & baseline tracing @** \_\_\_\_\_ (time)

Treat Life threatening Arrhythmias per ACLS protocol

**Oxygen @** \_\_\_\_\_ liters/min per NC NRB

Started \_\_\_\_\_ (time) 4L 15L

**ASA Allergy?** Yes No **Active Bleed?** Yes No

**ASA 325mg** chewed administered @ \_\_\_\_\_

Taking medications for Erectile Dysfunction? Yes No

**NTG SL 0.4mg** administered @ \_\_\_\_\_

Time	Pain Scale	Response	B/P
#1 _____	/	/	_____
#2 _____	/	/	_____
#3 _____	/	/	_____

**Initial EKG done** \_\_\_\_\_ (time)

**IV access:**

Site#1

Catheter size \_\_\_\_\_ location \_\_\_\_\_

# of attempts \_\_\_\_\_ time started \_\_\_\_\_

Site#2

Catheter size \_\_\_\_\_ location \_\_\_\_\_

# of attempts \_\_\_\_\_ time started \_\_\_\_\_

**IV Fluids:** N/S Other \_\_\_\_\_

@ TKO or \_\_\_\_\_ cc/hr initiated @ \_\_\_\_\_ (Time)

**Labs:** drawn @ \_\_\_\_\_ (time)

Cardiac Markers Troponin Myoglobin

CPKMB CBC BMP PT PTT

Other: \_\_\_\_\_

**Consider:**

Lopressor 5mg slow IV Q 5 min. (X 3) \_\_\_\_\_ (time)

Lopressor 5mg IV \_\_\_\_\_ (time)

Lopressor 5mg IV \_\_\_\_\_ (time)

Plavix 75mg ii tabs PO \_\_\_\_\_ (time)

Lovenox 30mg IV \_\_\_\_\_ (time)

MS 2-10mg IVP for continued unrelieved CP up to 20mg total. \_\_\_\_\_ (times/amt)

**WEIGHT:** \_\_\_\_\_

Allergies: \_\_\_\_\_

Current Meds: \_\_\_\_\_

**History:** \_\_\_\_\_ (time)

Previous MI Yes No

When \_\_\_\_\_

Angina Yes No

When \_\_\_\_\_

PTCA Yes No

When \_\_\_\_\_

CABG Yes No

When \_\_\_\_\_

CHF Yes No

Stroke/CVA Yes No

Diabetes Yes No

Hypertension Yes No

current smoker Yes No

Family Hx of CAD Yes No

Hypercholesterolemia Yes No

APVD Yes No

Other Medical History: \_\_\_\_\_

**EDEMA:** Yes No

Pitting (where) \_\_\_\_\_

**Jugular Vein Distention** Yes No

**Chest X-ray** Yes No

Time Pain Started

**LOCATION OF PAIN:**

\_\_\_\_\_ Sternum/Lt. Chest

\_\_\_\_\_ Entire Chest

\_\_\_\_\_ Back

\_\_\_\_\_ Lt Arm / \_\_\_\_\_ Rt Arm

\_\_\_\_\_ Jaw/Throat

\_\_\_\_\_ Other \_\_\_\_\_

**CHARACTERISTICS:**

\_\_\_\_\_ Sharp \_\_\_\_\_ Pressure

\_\_\_\_\_ Dull \_\_\_\_\_ Heaviness

\_\_\_\_\_ Ache \_\_\_\_\_ Intermittent

\_\_\_\_\_ Constant

\_\_\_\_\_ Other \_\_\_\_\_

**RELATED TO:**

\_\_\_\_\_ Deep Breath

\_\_\_\_\_ Movement

\_\_\_\_\_ Eating \_\_\_\_\_ Activity

\_\_\_\_\_ Rest

\_\_\_\_\_ Other \_\_\_\_\_

**ASSOCIATED SYMPTOMS:**

\_\_\_\_\_ Dyspnea

\_\_\_\_\_ Diaphoresis

\_\_\_\_\_ Nausea/Vomiting

\_\_\_\_\_ Syncope

\_\_\_\_\_ Palpitations

\_\_\_\_\_ Other \_\_\_\_\_

**RESPIRATORY:**

Reg./Even Unlabored

Labored Shallow

**Breath Sounds:**

\_\_\_\_\_ Right /Left

Clear

Rales

Rhonchi

Wheezes

Other: \_\_\_\_\_

Cough: Yes No

**SKIN:** pink pale

\_\_\_\_\_ warm \_\_\_\_\_ cool \_\_\_\_\_ moist

\_\_\_\_\_ dry \_\_\_\_\_ dusky \_\_\_\_\_ mottling

\_\_\_\_\_ diaphoretic \_\_\_\_\_ other

**THROMBOLYTIC INCLUSION CRITERIA**

1. Chest pain typical of MI >30 min. Yes No

2. EKG evidence of acute MI: Yes No

ST segment elevation >1mm in contiguous leads New-LBBB \_\_\_\_\_

3. Elapsed time from onset of worst pain to evaluation < 6 hrs. Yes No

**THROMBOLYTIC EXCLUSION CRITERIA**

1. Recent history of GI bleed Y N

2. Suspected aortic dissection Y N

3. Pregnancy Y N

4. Unsuccessful central venous puncture Y N

5. Onset of severe chest pain >12 hours Y N

6. Diabetic hemorrhagic Retinopathy Y N

**CRITERIA**

7. Recorded BP greater Than 180/110 after tx Y N

8. Recent history of Hemorrhagic CVA Y N

9. Presence of cardiogenic Shock Y N

10. Candidate for Thrombolytic therapy Y N